

Firma: VD soft

Adresa: Hajduk Veljkova 25

Telefon: 037-3520-990 i 037-3500-444

Fax:

PIB: 100318462

E-mail: info@vdsoft.rs

# SSD 2.5" SATA 1TB Samsung 870 QVO 560530MBs, MZ-77Q1T0BW

Šifra: 62689

Kategorija prozivoda: SATA SSD

Proizvođač: Samsung

Cena: 12.240,00 rsd.



## General Feature

ApplicationClient PCs
Capacity1,000 GB (1

Capacity1,000 GB (1 GB=1 Billion byte by IDEMA) \* Actual usable capacity may be less (due to formatting, partitioning, operating system, applications or otherwise)

Form Factor2.5 inch

InterfaceSATA 6 Gb/s Interface, compatible with SATA 3 Gb/s & SATA 1.5 Gb/s interface

Dimension (WxHxD) 100 X 69.85 X 6.8 (mm)

WeightApporx. 46.0g

Weight

Storage Memory
Samsung V-NAND 4bit
MLC

ControllerSamsung MKX Controller

Cache MemorySamsung 1 GB Low Power DDR4 SDRAM

# Special Feature

TRIM SupportTRIM
Supported
S.M.A.R.T Support
S.M.A.R.T Supported
GC (Garbage Collection)
Auto Garbage Collection
Algorithm
Encryption Support
AES 256-bit Encryption
(Class 0),TCG/Opal,
IEEE1667 (Encrypted

drive)

WWN SupportWorld

Wide Name supported

Device Sleep Mode

SupportYes

### Performance

Sequential Read
Up to 560 MB/s
Sequential Read \*
Performance may vary
based on system
hardware &
configuration

hardware & configuration

Sequential Write
Up to 530 MB/s
Sequential Write \*
Performance may vary based on system
hardware & configuration \*\*
Measured with
Intelligent TurboWrite technology being activated

Random Read (4KB, QD32)Up to 98,000 IOPS Random Read \* Performance may vary based on system hardware & configuration \*\* Measured with Intelligent TurboWrite technology being activated

Random Write (4KB, QD32)Up to 88,000 IOPS Random Write \* Performance may vary based on system hardware & configuration \*\* Measured with Intelligent TurboWrite technology being activated

Random Read (4KB, QD1)Up to 11,000 IOPS Random Read \* Performance may vary based on system hardware & configuration \*\* Measured with Intelligent TurboWrite technology being activated

Random Write (4KB, QD1)Up to 35,000 IOPS Random Write \* Performance may vary based on system hardware & configuration \*\* Measured with Intelligent TurboWrite technology being

#### activated

#### Environment

Average Power Consumption (system level)Average: 2.2 W \*Maximum: 4.0 W (Burst mode)\* Actual power consumption may vary depending on system hardware & configuration

Power consumption (Idle)Max. 30 mW \* Actual power consumption may vary depending on system hardware & configuration

Allowable Voltage 5V ± 5% Allowable voltage

Reliability (MTBF) 1.5 Million Hours Reliability (MTBF)

Operating Temperature 0 - 70 ? Operating Temperature Shock1,500 G & 0.5 ms (Half sine)

#### Accessories

*Installation Kit*Not Available

#### Software

Management SW
Magician Software for
SSD management